

# 40100 Gripper System

**In-Position  
Technologies**


www.iptech1.com | (877) 478-3241 | help@iptech1.com



## Highly Adjustable!

Our unique adjustability allows you to

**Minimum**



**Maximum**



**Offset**







The 40100 Gripper System is a comprehensive, highly-adjustable and proven solution. It features interchangeable fingers and interchangeable pads. A wide range of off-the-shelf fingers and pads are in stock and ready to ship. Pads are available in many different materials ranging from 17-4 stainless steel, aluminum, to soft urethanes to ensure part protection

Precision-locating pins mount the fingers without any slop. The pins can be quickly removed in a few seconds to increase gripping size, shorten the finger length, change the height, etc.

Custom engineered solutions are available as well.

## Different Styles of Fingers & Pads



Deburring Solutions

Tool Motors

Work Holding Solutions



Phone: (303) 444-6787

[www.James-Engineering.com](http://www.James-Engineering.com)





# Wide Range of Accessories



Deburring Solutions

Tool Motors

Work Holding Solutions

Phone: (303) 444-6787

[www.James-Engineering.com](http://www.James-Engineering.com)





Specifications	
Dimensions (W x L x D)	5.5" x " x 3.5"
Weight	4.6 lbs
Operation	Pneumatic; 125 psi max
Gripper Stroke	1/2"

Features	
Super Low-Pressure Actuation – 10 psi for delicate light weight gripping	
Precision – low backlash	
Auto centering	
Interchangeable gripping fingers	
Interchangeable gripping pads	
Integrated rebuildable cylinder	

*Deburring Solutions*

*Tool Motors*

*Work Holding Solutions*

**Phone: (303) 444-6787**

**[www.James-Engineering.com](http://www.James-Engineering.com)**

